



TEECO Topics

FALL 2000

Serving The Industry Since 1946

Call toll free 800-854-3463

Get a Handle on Winter



For a great offer on TUF DUK and Strapper winter gloves, See Page 2

Tec-Pac II gas inspection kit

A must have for inspection technicians

The fast, reliable and affordable way to perform complete service inspections quickly and accurately. Includes TKX electronic combustible gas leak detector, 133 digital multimeter, and Trak-It DMS-CO for direct CO measurements. The perfect combination for the service technician. Components available separately.

TKX Gas Detector

Rapidly locate combustible gas leaks. High sensitivity (50 ppm), unique low power sensor, audio and visual leak indicator, adjustable tick rate for fast leak pinpointing, and includes earphone for noisy environments.



133 Multimeter

Easy to read with a large LCD display. Perform AC/DC voltage tests, resistance and continuity checks, and AC/DC amps (up to 10). Use for any routine electrical checks. With adjustable tilt stand and built-in probe holder. Low cost.

Trak-It DMS-CO

An advanced state-of-the-art CO instrument. When used in conjunction with a digital multimeter, it measures carbon monoxide in parts per million (ppm). Low maintenance and simple calibration procedures.

INSIDE

Page 3:

Heaters: Harpcostock-up sale, LB White, National Riverside

Page 4:

Fuel transfer assemblies, hose assemblies

Page 5:

Bobtail Inspections, Dispensers

Page 6:

Keys to dependable gas systems

Page 7:

consul, Mosquito Magnet, Homestead

Page 8:


Cylinder valve wrench, SS food cart

| Part | Description | Dealer net |
|-----------|-----------------------------------|------------|
| TP11-383S | Tec Pac II 3-piece inspection kit | \$ 400.00 |
| TKX | Gas detector w/case | \$ 165.00 |
| DMM133 | Multimeter | \$ 50.00 |
| DMS-CO | CO monitor, audible/visual | \$ 190.00 |

Corken Coro-Vac, the OPD purging solution

Corken leads the way with the Coro-Vac cylinder and tank purging solution designed to save you time and money.

The Coro-Vac system eliminates the need for multiple gas purgings, to dramatically save time, reduce waste, and limit employee exposure. Saves wasted product and simplifies the purging process. Prevents



initial lean mixture problems. No need to vent LP-gas to the atmosphere.

Flexible capacity to quickly purge one to ten or more cylinders in minutes.

NOTE: Purging is only required once, when putting new cylinders from the manufacturer into service for the first time. It is not necessary to purge cylinders after changing valves or requalifying.

Buy a dozen Strapper Insulated Gloves or rugged TUF DUK Winter Gloves and receive two sets of Pro-Wear 100 Emergency Use Wet Gear at no additional charge.



Pro-Wear 100
Emergency Use
Wet Gear

TUF-DUK Gloves: Winter Foam insulated to lock out cold, seal in warmth. Vinyl impregnated to resist abrasion and repel liquids. Soft jersey lining helps retain warmth and feels good on the hand. Provides excellent grip and long wear. Two-tone brown and gold.

STRAPPER Gloves- Driver's gloves perfect for light-to-heavy duty applications. Gives superior grip, wear, comfort and excellent cut, puncture and snag resistance. Fully nitrile laminated for greater wear, consistent high-quality, and value. Insulated or non-insulated available.
STRAPPER MADE IN USA



| Item | Description | Price |
|----------|---|----------------|
| 31-791M | TUF DUK winter gloves - 12 pair lot- Medium | \$135.00 |
| 31-791L | TUF DUK winter gloves - 12 pair lot- Large | \$135.00 |
| 2796-9 | Strapper Insulated Gloves- 12 pair lot- Medium | \$135.00 |
| 2796-10 | Strapper Insulated Gloves- 12 pair lot- Large | \$135.00 |
| 65-100M | Pro Wear 100 jacket & pant set- Medium | \$ No Charge** |
| 65-100L | Pro Wear 100 jacket & pant set- Large | \$ No Charge** |
| 65-100XL | Pro Wear 100 jacket & pant set- X-Large | \$ No Charge** |

**When ordered in conjunction with this offer.

INSIDE TEECO

Thirty-five year industry expert joins TEECO to serve Rocky Mountain area

TEECO Products, Inc. welcomes Bob Page to the TEECO family. Bob will be responsible for covering the needs of LP-Gas dealers in the Rocky Mountain Region. He brings thirty-five years of hands-on LP Gas Industry



Bob Page

experience to TEECO. Prior to joining TEECO, Bob spent 25 years with Petrolane and 10 years with Suburban Gas, where he last served as senior technician in charge of bulk plant maintenance, testing and safety compliance.

Bob's experience covers all aspects of the LP-Gas Industry. His vast industry knowledge makes him a welcome addition to the TEECO team and a valuable resource for LP-Gas dealers in his service area. You can reach Bob through TEECO Rapid City 800-843-8660.

TEECO Topics is published four times yearly by TEECO Products, Inc. as a service to its customers. 2,500 copies are distributed to customers and selected LP industry leaders.

President

Dwaine Goodwin

CFO

Gary Childress

General Manager, Operations

Bob Bailey

National Accounts Manager

Gene Callahan

Marketing Manager

Charlie Hoey

Regional Sales Manager, Irvine

Ray Shaeffer

Operations Manager, Irvine

Tom Valverde

Regional Sales Manager, Rocky Mountain Area

Bob Page

Regional Sales Manager, Sacramento

Mike Gould

Regional Sales Manager, Rapid City/Yankton

John Messerli

Operations Manager, Rapid City/Yankton

Dean Muehlberg

Regional Sales Manager, Auburn

Dave Drimmel

Operations Manager, Auburn

Dennis Higgins

Corporate Headquarters

TEECO Irvine, CA

(800) 854-3463

FAX (888) 854-3463

Engineering, Construction & Fabrication

TEECO Sacramento, CA

(800) 225-6621

FAX (888) 225-6621

TEECO Rapid City, SD

(800) 843-8660

FAX (888) 843-8660

TEECO Yankton, SD

(800) 843-7913

FAX (888) 843-7913

TEECO Auburn, WA

(800) 426-9456

FAX (888) 426-9456

Visit our website in October 2000

www.teecoproducts.com

email:

info@teecoproducts.com



HEATERS

See Page 7 for Homestead Patio Heaters

TEECO
PRODUCTS, INC.

TEECO carries a full line of high-quality heaters for all your needs.

Special Pre-Season Stock-up Sale Harpco Radiant Portable Heaters

Take advantage of these great prices during Harpco's pre-season stock-up sale (prices good until 10-31-00). Harpco radiant heaters feature rugged ceramic burners and highly polished aluminized sheet steel reflectors. Safety shutdown assures 100% shutoff in case of a mishap. Cylinder and stand not included.

Model RPH1001 (11,000 - 15,000 BTU/HR), features a Hi-Med-Low output valve/regulator with POL fitting. Will heat for 29 hours on one 20 lb. cylinder.



Model RPH1000 (7,120 - 12,500 BTU/HR) is equipped with a regulator and type 1 connection. The burner is tiltable, not fixed. Operates approximately 35 hours on 20 lbs. of LP-gas.

RPH 1000/1001

| Quantity | Reg. price ea. | Sale price ea. |
|----------|---|----------------|
| 6-24 | 45.00 (1-5 units) 40.00 (6+) | \$ 38.00 |
| 25-49 | | \$ 36.00 |
| 50-99 | | \$ 35.00 |
| 100-199 | | \$ 34.00 |
| 200+ | | \$ 33.00 |

Pre-Season Order Deadline:
10-31-2000

National Riverside Universal Heaters



Model 30-FAS

30,000 BTU/HR blower type forced air heater. Ideal for shops, work areas, farm, ranch & craftsmen. Push button electronic ignition, stainless steel burner. Heats up to 5000 cu. ft. Operates 4 hours from a 20 lb. propane tank. Propane flow stops if unplugged. AGA & CGA certified.



Model 80-VC

Adjustable 30,000-80,000 BTU/HR convection type heater. Designed to handle small to medium size jobs, such as workshops and out buildings. Ideal for remote locations where no electrical service is available. AGA & CGA certified. Can be operated for hours on 20 lb LPG tank (at low setting). Piezo electric pilot light ignitor.



Model 225-S

Adjustable 75,000-200,000 BTU/HR convection type heater. Handles big job requirements for dry walling, concrete curing, warehouses, industry & agriculture without requiring electrical connections. Heats from 14,000-49,000 cu. ft. Recommended for use with one or more 100 lb. propane tanks. Also available with Piezo electric pilot light ignitor (Model 225-VC).

Other models also available. Call us!

L.B. White Heaters



Pilot Light Ignition Heaters

Tested and time-proven pilot light system for dependable operation. Exclusive tri-shield coated steel case construction for maximum corrosion protection. Available in propane and natural gas models with heat output ranges from 40,000-250,000 BTU/HR. Totally enclosed motor, fully protected controls, built in safety features. AGA and CGA certified models available.



Hot Surface Ignition Heaters

Flexible and economical heat. Heat outputs from 30,000-325,000 BTU/HR. All models available for use with propane or natural gas. Reliable and durable. compact profiles and indoor/outdoor mounting capability. Sentinel System III advanced diagnostics controls monitor all primary heater functions for dependable, worry-free operation. All models AGA and CGA certified.

LP-GAS HANDLING

Replace old, worn components


Complete fuel transfer assemblies in stock now

Components:

Full Circle swivel connector

The lightweight JO-1 swivel is designed as a hose end swivel to enable the filler valve to be rotated 360-degrees at maximum delivery pressure. It minimizes driver hose fighting and simplifies tank connections. The JO-1 is the only hose end swivel designed specifically for liquefied gas. It is ideal for delivery vehicles, but can also be used in any application where 360-degree rotation of a filler valve is required. The JO-1 features a full 1" bore to eliminate undue flow restrictions.

The JO-1 contains no rotating lip seal or O-rings to wear out. No lubrication, greasing or periodic maintenance is required. The unit incorporates two sealed radial contact ball bearings that support the male end to ease rotation. These bearings are sealed for life and need no lubrication or adjustment. All seal components are easily replaceable in the field.



RegO hose end valve

RegO's quick-acting A7797 is designed to vastly reduce the amount of gas vented when disconnecting. Provides instant, full flow at the flip of a handle. Shuts off instantly and locks for safety. For maximum comfort, safety and speed during operation, the contoured handle swivels 360 degrees. Assures long, leak-free service by incorporating the spring loaded V-ring seal design used for many years in RegO globe and angle valves. Rated at 16 GPM flow capacity at 1 PSIG.


Dayco hose

Dayco's new 7132 smooth cover spiral LP-gas hose offers important new benefits, while retaining all the performance characteristics of its predecessor. A modified tube and cover now allows operation at a wider temperature range, -40°F to +150°F. The hose does the work of two, eliminating the need for specialty, low-temp hose. Other improvements include improved abrasion, ozone and permeation resistance. TEECO has Dayco LP-gas hose available in cut and full-reel quantities.

You can rely on Dayco bobtail hose assemblies

Rugged, durable 1" Dayco 7132 series hose assemblies meet the everyday demands of bobtail applications. They are long-lived, abrasion resistant, and have a wide temperature and flexibility range.

Assemblies undergo rigorous testing. Hose and end fittings are visually inspected for defects and flaws. Final crimp length and crimp diameter are measured to assure proper assembly. Each Dayco hose assembly is pressurized with nitrogen and subjected to a stress test, then stamped with a special code indicating the TEECO branch, month and year of assembly.



| Model | Length | Hose Diameter | End Fittings |
|---------|---------|---------------|--------------|
| 362-100 | 100 ft. | 1" ID | 1" MPT |
| 362-125 | 125 ft. | | |
| 362-150 | 150 ft. | | |

Ready for winter deliveries?

Have TEECO build, changeover, inspect, repair or service your bobtail



Bobtails fabricated, serviced and inspected

Let TEECO handle all of your bobtail needs. TEECO's PACA Division is D.O.T. certified to perform all necessary inspections and repairs on the following bobtail systems:

- ★ Pumping systems
- ★ Metering systems
- ★ Hose reels
- ★ Piping systems
- ★ New 1" hose assemblies that meet D.O.T. requirements



FABRICATION & SERVICE DIVISION

Get a top quality TEECO or PACA dispenser




Complete, ready to use, with pump and motor, valving, interconnecting piping, wired to code and fully tested. Highest quality materials, professional workmanship. Galvanized steel cabinet. Standard equipment includes 1" meter and register, pull away valve, 15 1/2' LPG hose with lock handle and 1 3/4" ACME fill connector. Corken or Smith pump. Open or enclosed options. Call for specs to fit your needs.



Complete PACA tank packages available

Complete 500 or 1000 gallon tank packages, with ASME tank, leg kit and tank fitting kit. Just add the TEECO or PACA dispenser module of your choice. All dispensing fittings are located at one end, far from gauges, fill and relief fittings. Calibrated, assembled and tested. Tanks, leg kits and fitting kits are also available separately. Call TEECO for detailed specifications and pricing information.



GAS SYSTEMS

Take three steps to trouble-free, cost-effective gas installations

1. Great regulators

LV3303TR- New from RegO. A first stage regulator for the 21st century. **Capacity: 1,500,000 BTU's @10 PSI delivery.** Features: Large 1/4" seat orifice to help prevent freeze-ups. Compact size. Threaded large bonnet vent, which eliminates the need for pipe-away glue kits. Ideal for underground tanks. A built-in relief valve and travel stop comply with NFPA 58 overpressure requirements. Manufactured using the patented RegULockSM seal system.



\$15.55 ea. (10 Lot)



TEECO is proud to be a Master distributor of quality RegO Products.



2. Great pipe

YELLOWPIPE PE 2406 polyethylene gas pipe eliminates corrosion problems inherent to metal pipe. **1/2" IPS provides nearly three times the carrying capacity as CTS** for only \$ 0.02 more per foot. The added capacity of Plexco Yellowpipe plus its superior quality make it an ideal component as part of an efficient, trouble-free installation.




Compare CTS Vs. IPS

| Part Number: | PE012IPS | PE012CTS |
|--------------|--|--|
| Description | 1/2" IPS @ 50 feet | 1/2" CTS @ 50 feet |
| Capacity | 1,305,000 BTU capacity @ 10 PSIG W/ 1 PSI drop | 495,000 BTU capacity @ 10 PSIG W/ 1 PSI drop |
| Price | \$ 0.16 / foot (1,000 feet) | \$ 0.14 / foot (1,000 feet) |

3. Great risers

LycO Anodeless Meter Risers, from R.W. Lyall, are available and in stock at your TEECO warehouse for use with 1/2" IPS in 36" X 24" Tank Riser and 24" X 36" House Riser configurations.

| Part Number: | STDLY060050-52TH | STDLY060050-52TT |
|--------------|------------------|------------------|
| Description | Tank Riser | House Riser |
| Price | \$ 29.40 | \$ 29.40 |



PRODUCT SPOTLIGHT

Millions around the world live without electricity

Ever wonder how they keep their food cold?

A Consul Gas refrigerator, of course! Consul gas refrigerators are ideal for cabins, vacation homes, remote areas or as a backup during power failures. No electric power needed. No moving parts. Efficient, economic, reliable and safe. Best value in propane refrigerators.




\$694.00 ea.

Extend outdoor living space with Homestead Patio Heaters

A portable patio heater can deliver warmth to outdoor parties, wedding and sporting events regardless of the season. TEECO distributes the Homestead Patio Heater exclusively of other brands because we believe it is the best value. High quality and low price make this the best patio heater around.

The Homestead radiates heat 360°, warming people and objects rather than air. A simple flick of the piezo ignition and the Homestead delivers 40,000 BTU's/hour. One 20 lb. LPG cylinder will heat a circular area 8' to 12' for up to 12 hours. The LP gas model of the Homestead is available in stainless steel, hunter green, white and silver gray powder coated finish.

The Homestead is also available in a natural gas model, AGA rated at 50,000 BTU's. It's available in a silver gray powder coated finish.



* LP gas tank not included.


| Product | Description | Dealer Net | | |
|----------|------------------------------|------------|----------|----------|
| | | 2-11 | 12-23 | 24+ |
| HC100 | *LP Gas - Green, Gray, White | \$340.00 | \$320.00 | \$300.00 |
| HC100-SS | *LP Gas - Stainless Steel | \$500.00 | \$470.00 | \$450.00 |
| HC101-GR | Natural Gas - Gray | \$360.00 | \$340.00 | \$320.00 |

New Mosquito Magnet proves itself at infested Coast Guard station

The Mosquito Magnet, the proven, effective way to control biting insects without the use of pesticides or electricity, is available from TEECO Products.

The U.S. Coast Guard bought six of the devices and has ordered six more for use at its station on Great Inagua in the Bahamas, where they found the mosquito problem so bad the island was declared uninhabitable.

“Since they put in those mosquito machines, you can actually walk outside without getting attacked,” said Coast Guard Spokesman Russ Hellstern, “It’s amazing.”



The Mosquito Magnet attracts and kills biting insects in an area up to one acre. It collapses the offending population in 2-4 weeks. Female mosquitoes are drawn to the plume of carbon dioxide

emitted by the Mosquito Magnet. Once they enter the trap, they are caught by a net and dehydrated.

It's ideal for restaurants, homes, farms, golf, yacht & beach clubs, private and public recreation areas and retirement communities. Product availability may be limited, so order yours today for next year's mosquito season.

| Item | Description | Price |
|-------|----------------------|------------|
| MM-C | Heavy Duty Model | \$1,325.00 |
| MM-R | Residential Model | \$745.00 |
| MM-O | Octenol (attractant) | \$5.00 |
| MM-N | Net (collects bugs) | \$6.50 |
| MM-TC | Cover | \$12.00 |

TW-3 QC Cylinder Valve Wrench Kit



The TW-3 quickens installation and removal of QC cylinder valves from DOT containers. The wrench works on all Style 1 (QC) valves, particularly the fixed hand-wheel OPD's that are mandated by the DOT for all 5 lb. to 40 lb. cylinders.

The TW-3 mates to the cylinder valve QC thread, rather than the POL thread, reducing the possibility of valve deformation when

installing or removing. The wrench seats flush against the valve face, distributing torque across a wider area. The compact TW-3 fits under the handwheel valve and allows rotation inside the cylinder collar, simplifying the removal and installation procedure. The TW-3 also incorporates a bleed orifice safety feature that will indicate any pressure remaining in the cylinder before removing the valve by simply opening the valve slightly prior to loosening.

The wrench is constructed from tough, durable alloy and forged steel components to resist corrosion and distortion.

Grand Island mobile serving cart offered in 304 stainless steel, cover available

This free-standing beverage cart from Grand Hall is ideal for outdoor or indoor use. It includes a stainless steel work table, cutting board, extending side shelf, ice bucket, utility drawer, spice tray, combination towel bar and handle and a fully-enclosed storage cabinet. A cart cover is also now available to provide customers an effective and inexpensive way to protect their investment.



| Item | Description | Dealer Net | | | |
|--------|---------------------------|------------|----------|----------|----------|
| | | 1 | 2-11 | 12-24 | 25-Up |
| SC-700 | Grand Island Serving Cart | \$515.00 | \$500.00 | \$485.00 | \$475.00 |
| P80B1A | Grand Island Cover | \$18.50 | | | |

TEECO TEECO TEECO TEECO TEECO TEECO

TEECO
PRODUCTS, INC.

16881 Armstrong Avenue
Irvine, CA 92606

Presorted Standard
U.S. Postage
PAID
Newport Beach, CA
Permit No. 373